QUALITY ASSURANCE & CONTROL SYSTEMS LTD
1 Antigonis St., 144 51, Metamorfosi, Greece
Tel: +30 210 2934745 ÅFax: +30 210 2934606 Åemail: info@qacs.gr Åwebsite: www.qacs.gr

CERTIFICATE No : **2012-2443 / 12 03 2704**

CERTIFICATE OF ANALYSIS

CUSTOMER NAME	**: NAZER KOZMETIK - MELEK NIZAM**		
Sampled by	: CLIENT		
Sampling Date	: 08/06/2012	Start of Analysis	: 12/06/2012
Receipt Date	: 08/06/2012	End of Analysis	: 17/06/2012
Sampling Location	:		
Remarks	: EJDER KIMYA		
Sample Code	: 12 03 2704		
SAMPLE DESCRIPTION	**: VENIZA ANTI-AGEING CREAM LOT: N-01**		

Sample condition on receipt: Normal, as specified on internal procedure GP508

PARAMETERS	METHOD	RESULT	UNITS	LIMITS
Total Microbial Count	Eur Pharm	<10	cfu/g	<1.0E+03
Moulds & Yeasts	Eur Pharm	<10	cfu/g	<1.0E+02
Pseudomonas aeruginosa	Eur Pharm	Absence	cfu/g	Absence
Staphylococcus aureus	Eur Pharm	Absence	cfu/g	Absence
Escherichia coli	Eur Pharm	Absence	cfu/g	Absence
Candida albicans	Eur Pharm	Absence	cfu/g	Absence

European pharmacopeia 7.0 (Harmonised method 5.1.4,2.6.12,2.6.13, supplement 7.1 -2)

SATISFACTORY

For the laboratory



Lagiopoulos George
Agronomist-Food Technologist MSc

End of test certificate.

Results mentioned above refer only to the sample received and analyzed on the date and time specified.
These results should not be reproduced other than in full and only with the written approval of the laboratory.